ELSEVIER

Toxicology 125 (1998) 239–240

TOXICOLOGY

Volume contents

Volume 125 (1998)

Mixed effects of 2,6-dithiopurine against cyclophosphamide mediated bladder and lung toxicity in mice
Although dithiopurine may protect, at high doses it also may produce increased mortality
K. Datta, A. Chin, T. Ahmed, W.-G. Qing, K.L. Powell, P. Simhambhatla, M.C. MacLeod, G. Stoica, J.P. Kehrer (USA) 1–11

Rat brain acetylcholinesterase activity: developmental profile and maturational sensitivity to carbamate and organophosphorus inhibitors
Age-dictated differences in sensitivity cannot be accounted for by intrinsic properties of acetylcholinesterase
S.R. Mortensen, M.J. Hooper, S. Padilla (USA) 13–19

Ozone affects breathing and pulmonary surfactant function in mice
Surfactant dysfunction may have been caused by leakage of plasma proteins into the airway lumen
W.D. Currie, S.M. van Schaik, I. Vargas, G. Enhorning (USA) 21–30

Molecular modelling and quantitative structure-activity relationship studies on the interaction of omeprazole with cytochrome P450 isozymes
Computer techniques allow specific models of drug-enzyme-binding and presentation of susceptible moieties of the molecule to the active centre
D.F.V. Lewis, B.G. Lake (UK) 31–44

In vivo and in vitro evaluation of the mutagenic potential of carbamazepine: Does melatonin have anti-mutagenic activity?
A mutagenic potential is confirmed in human lymphocytes and an anti-mutagenic effect is described without explaining it
W.M. Awara, M. El-Gohary, S.H. El-Nabi, W.A. Fadel (Egypt). 45–52

Evaluation of the potential immunotoxicity of chlorinated drinking water in mice
Two weeks of exposure to hyperchlorinated drinking water had no adverse effects on the immune system.
A.S. French, C.B. Copeland, D.L. Andrews, W.C. Wiliams, M.M. Riddle, R. W. Luebke (USA). 53–58

Does airway responsiveness increase after skin sensitisation to 3-carene: a study in isolated guinea pig lungs
The answer is positive
L. Låstbom, A. Boman, P. Camner, Å. Ryrfeldt (Sweden) 59–66

Cypermethrin-induced alteration of thymocyte distribution and functions in prenatally-exposed rats
Prenatal exposure of rats to cypermethrin induced alterations in thymocyte distribution and functions
G. Santoni, F. Cantalamessa, R. Cavagna, S. Romagnoli, E. Spreghini, M. Piccoli (Italy) 67–78

Announcements 79–80
Instructions to Authors 81–82

Hexachlorobenzene-induced alterations of rat hepatic microsomal membrane function
Significant reduction of epidermal growth factor ligand binding
A.S. Randi, H.A. Sancovich, A.M. Ferramola de Sancovich, A. Loaiza, L. Krawiec, D.L. Kleiman de Pisarev (Argentina) 83–94

Formation of zinc protoporphyrin in cultured hepatocytes: effects of ferrochelatase inhibition, iron chelation or lead
Lead did not alter zinc protoporphyrin accumulation or iron availability
J.M. Jacobs, P.R. Sinclair, J.F. Sinclair, N. Gorman, H.S. Walton, S.G. Wood, C. Nichols (USA). 95–105

Allylamine and β-aminopropionitrile induced aortic medial necrosis: mechanisms of synergism
Synergistic toxicity appears to be primarily a allylamine effect
D. Kumar, M.B. Trent, P.J. Boor (USA) 107–115
Cytotoxicity of a series of mono- and di-substituted thiourea in freshly isolated rat hepatocytes: a preliminary structure-toxicity relationship study
It is structure-dependent and leads to LDH-leakage and GSH-depletion
R.C.A. Onderwater, J.N.M. Commandeur, E.J. Groot, A. Sitters, W.M.P.B. Menge, N.P.E. Vermeulen (The Netherlands) 117–129
Paracetamol hepatotoxicity in metallothionein-null mice
Expression of MT genes contributes to the protection against hepatotoxicity but much less so in starved mice
A.M. Rofe, E.F. Barry, T.L. Shelton, J.C. Philcox, P. Coyle (Australia) 131–140
Effect of pentachlorophenol on immune function
Pentachlorphenol enhanced T- and B-lymphocyte blastogenesis
B.R. Blakley, M.J. Yole, P. Brousseau, H. Boermans, M. Fournier (Canada) 141–148
A modified murine local lymph node assay for the differentiation of contact photoallergy from phototoxicity by analysis of cytokine expression in skin-draining lymph node cells
Cytokine expression patterns of photoallergenic and phototoxic reactions are different
P. Ulrich, B. Homey, H.-W. Vohr (Switzerland, Germany) 149–168
Nephrotoxicity studies of the immunosuppressants tacrolimus (FK506) and ascomycin in rat models
The immunosuppressant ascomycin was not found to be nephrotoxic in rats
K.W. Mollison, T.A. Fey, R.A. Krause, J.M. Andrews, P.T. Bretheim, P.K. Cusick, G.C. Hsieh, J.R. Luly (USA) 169–181
Report of validations study of assessment of direct immunotoxicity in the rat 183–201
This is the second phase of ICICIS using cyclosporin as a model compound
Modulation of nitric oxide, hydrogen peroxide and cytokine production in a clonal macrophage model by the trichothecene vomitoxin (deoxynivalenol)
Macrophages are major contributors to vomitoxin immunotoxic effects and exert dual effects on several functions upon activation
G. Eog Ji, S. Young Park, S. Shyan Wong, J.J. Pestka (USA, South Korea) 203–214
Mercury-induced autoimmunity in Brown Norway rats: kinetics of changes in RT6+ T lymphocytes correlated with IgG isotypes of circulating autoantibodies to laminin 1
RT6.2+ T lymphocytes decreased in Brown Norway, but not lewis rats exposed to mercuric chloride and autoantibodies to laminin 1 were predominantly of the IgG1 and IgG2a isotypes
L.L. Kosuda, B. Whalen, D.L. Greiner, P.E. Bigazzi (USA) 215–231

Author index 233
Subject index 235–238
Volume contents 239–240